

Amendments to Claims

Claim 1 (previously presented): A hot melt adhesive composition comprising, by weight of the hot melt adhesive composition,

- a) about 5 weight percent to about 60 weight percent of an ethylene-vinyl acetate copolymer having a vinyl acetate content of about 30 weight percent to 50 weight percent and a melt index of about 700 to 4,000 dg/min;
- b) about 30 weight percent to about 60 weight percent of a tackifier selected from the group consisting of terpene, terpene phenolic, modified terpene, and combinations thereof; and
- c) about 15 weight percent to about 55 weight percent of a wax with a melting point of about 125°F to 180°F;

wherein the hot melt composition can be applied to a piece of substrate at a temperature of 200°F to 300°F for bonding said substrate to a second piece of substrate.

Claims 2 and 3 (canceled)

Claim 4 (previously presented): An adhesive according to Claim 1 wherein the ethylene-vinyl acetate copolymer comprises about 35 weight percent to about 45 weight percent vinyl acetate.

Claim 5 (previously presented): An adhesive according to Claim 1 wherein the ethylene-vinyl acetate copolymer comprises about 40 weight percent vinyl acetate.

Claim 6 (previously presented): An adhesive according to Claim 1 wherein the wax is paraffin wax or synthetic wax.

Claim 7 (original): An adhesive according to Claim 1 additionally comprising up to about 5 weight percent of at least one additional tackifier selected from the group consisting of

rosin, rosin derivatives, rosin ester, aliphatic hydrocarbons, aromatic hydrocarbons, aromatically modified aliphatic hydrocarbons and mixtures thereof.

Claim 8 (previously presented): A hot melt adhesive composition comprising, by weight of the hot melt adhesive composition,

- a) about 35 weight percent of an ethylene-vinyl acetate copolymer with about 40 weight percent vinyl acetate and having a melt index of about 1,000 dg/min;
- b) about 30 weight percent of a tackifier selected from the group consisting of terpene, terpene phenolic, modified terpenes, and combinations thereof;
- c) about 5 weight percent of at least one additional tackifier selected from the group consisting of pentaerythritol, hydrogenated glycerol, and combinations thereof;
- d) about 30 weight percent of a wax with a melting point of about 150°F;

wherein the hot melt composition can be applied to a piece of substrate at a temperature of 200°F to 300°F for bonding said piece of substrate to a second piece of substrate.

Claim 9 (previously presented): A carton, case or tray formed utilizing the adhesive composition of Claim 1, 7 or 8.

Claim 10 (previously presented): An adhesive according to Claim 1 which comprises about 30 weight percent to about 60 weight percent of a terpene phenolic tackifier.

Claim 11 (previously presented): An adhesive according to Claim 1 which comprises about 35 weight percent to about 45 weight percent of an ethylene-vinyl acetate copolymer.

Claim 12 (canceled)

Claim 13 (previously presented): An adhesive according to Claim 8 which comprises about 30 weight percent a terpene phenolic tackifier.

Claim 14 (previously presented): An adhesive according to Claim 1 which comprises about 35 weight percent to about 60 weight percent of an ethylene-vinyl acetate copolymer.

Claim 15 (previously presented): An adhesive according to Claim 14 which comprises about 30 weight percent to about 60 weight percent of a terpene phenolic tackifier.

Claim 16 (previously presented): A carton, case or tray formed utilizing the adhesive composition of Claim 14.

Claim 17 (previously presented): A hot melt adhesive composition consisting essentially of, by weight of the hot melt adhesive composition,

- a) about 5 weight percent to about 60 weight percent of an ethylene-vinyl acetate copolymer having a vinyl acetate content of about 30 weight percent to 50 weight percent and a melt index of about 700 to 4,000 dg/min;
- b) about 30 weight percent to about 60 weight percent of a tackifier selected from the group consisting of terpene, terpene phenolic, modified terpene, and combinations thereof;
- c) up to about 5 weight percent of at least one additional tackifier selected from the group consisting of rosin, rosin derivatives, rosin ester, aliphatic hydrocarbons, aromatic hydrocarbons, aromatically modified aliphatic hydrocarbons and mixtures thereof;
- c) about 15 weight percent to about 55 weight percent of a wax with a melting point of about 125°F to 180°F; and
- d) an optional stabilizer.

wherein the hot melt composition can be applied to a piece of substrate at a temperature of 200°F to 300°F for bonding said substrate to a second piece of substrate.

Claim 18 (previously presented): An adhesive according to Claim 17 wherein said tackifier b) is a terpene phenolic tackifier.

Claim 19 (previously presented): An adhesive according to Claim 17 wherein said ethylene-vinyl acetate is present in amounts of about 35 weight percent to about 45 weight percent.

Claim 20 (previously presented): A carton, case or tray formed utilizing the adhesive composition of Claim 17.